

IN THE CLAIMS:

Please enter the following amended claims:

1. (Original) A resin composition comprising:

(A) from 1 to 99% by weight of a copolymer, which comprises an ethylene unit and an α -olefin unit of 3 to 12 carbon atoms, and

(B) from 99 to 1% by weight of a copolymer, which comprises an ethylene unit and a unit of a compound having a carbon-carbon double bond and an oxygen atom, provided that the sum of the copolymer (A) and the copolymer (B) is 100% by weight, wherein the copolymer (A) satisfies the following requirements (A-1) to (A-4), and the copolymer (B) satisfies the following requirements (B-1) and (B-2),

(A-1): a melt flow rate (MFR) is from 0.1 to 50 g/10 min,

(A-2): a density (d) is from 880 to 935 Kg/m³,

(A-3); a composition distribution variation coefficient (Cx) represented by the following equation (1) is not more than 0.5,

$$Cx = \sigma / SCBave \quad (1)$$

wherein σ is a standard deviation of composition distribution, and SCBave is an average branching degree,

(A-4): a content (a) of cold xylene-soluble portion in terms of % by weight based on the weight of the copolymer (A) and the density (d) satisfy the following inequality (2),

$$a < 4.8 \times 10^{-5} \times (950-d)^3 + 10^{-6} \times (950-d)^4 + 1 \quad (2)$$

(B-1): a melt flow rate (MFR) is from 0.01 to 50 g/10 min, and

(B-2); a content (b) of a unit of a compound having a carbon-carbon double bond and an oxygen atom in terms of % by weight based on the weight of the sum of the ethylene unit and the unit of a compound having a carbon-carbon double bond and an oxygen atom, and a content (WB) of the copolymer (B) in the resin composition in terms of % by weight based on the weight of the sum of the copolymer (A) and the copolymer (B) satisfy the following inequality (3),

$$50 > b > 0.2 \times W8 + 10 \quad (3).$$

2. (Currently Amended) A film comprising the resin composition according to Claim ~~6~~1.

3. (Currently Amended) The film according to Claim ~~6~~1, wherein a haze value of the film is more than 20%, and a gloss value thereof is less than 25 than 30%.

5. (Currently Amended) A glove comprising the resin composition according to Claim ~~1~~6.

6. (New) A resin composition according to Claim 1, wherein copolymer (A) is produced with a metallocene catalyst.